

Overview

Speak with confidence. Enjoy hybrid freedom.

Hybrid workers, get ready for true wireless freedom. The portable, comfortable Poly Savi 8200 UC Series headsets offers the ultimate in long-range DECT™ technology with USB plug-and-play convenience. These light, home- and office-ready headsets tune out nearby noise and keep every conversation secure, private, and clear with close conversation limiting noise cancellation. Wherever you work, the Savi 8200 UC Series keeps you sounding your best all day long.

Long-range wireless DECT™ technology up to 137 m/ 450 ft line of sight

Stay productive with the freedom to move with long-range wireless DECT™ technology up to 137 m/450 ft line of sight.

Designed for portability: use at home and in the office

Designed to make hybrid work easier and more productive with portable design, included travel case and charge cable.

Connects to PC/Mac via D400 USB adapter

Plug-and-play connectivity to PC/Mac via universal D400 USB adapter.

Three-way connectivity with Savi 8200 Office Series compatibility

Manage all your office calls with a compatible single base that offers 3-way connectivity—computer, desk phone, and mobile.[1]

Features

DECT™ security-certified headset

Privacy of your conversation is ensured: DECT™ Security-certified headset.

Noise-canceling microphone with close conversation limiting

Block background sounds with noise-canceling microphone and close conversation limiting.

Flexible microphone boom and positioning guides

Optimize your audio quality with flexible microphone boom and positioning guides.

SoundGuard DIGITAL Sound leveling and acoustic limiting

Optimal listening comfort with SoundGuard Digital sound leveling and acoustic limiting that protects against sounds above 118 dBA.

[1] Sold separately.

Additional specifications

Acoustic protection technology	SoundGuard Digital ^[1,2]
Audio	Noise and echo reduction
Battery life	>13 hours (talk time, over-the-head); >50 hours (standby time)
Battery type	Rechargeable Li-ion polymer
Bluetooth version	4.2
Button user controls	Power on/off; Call answer/end; Mute; Volume +/-
Certified collaboration software	Zoom
Charge time	3 hours
Color	Black
Connection type	USB Type-A/C [®]
Connection type	DECT™
Connectivity	DECT™ USB adapter
Connects to	PC
Datasheet photo 1	https://ssl-product-images.www8- hp.com/digmedialib/prodimg/lowres/c08401129.png
Datasheet photo 2	https://ssl-product-images.www8- hp.com/digmedialib/prodimg/lowres/c08470107.png
Datasheet photo 3	https://ssl-product-images.www8- hp.com/digmedialib/prodimg/lowres/c08401099.png
Ear cushions	PC (polycarbonate) (surface material)
Headphone type	On-ear (monoaural)
Impedance	32 ohms
Indicator light	On call
Management Software	Plantronics Hub (desktop)
Manufacturer Warranty	Poly standard two-year limited warranty
Microphone bandwidth	35 Hz to 21 kHz
Microphone type	Omnidirectional
Minimum dimensions (W x D x H)	6.1 x 6.53 x 2.63 in
Minimum dimensions (W x D x H)	15.5 x 16.6 x 6.7 cm
Package dimensions (W x D x H)	8.26 x 7.28 x 4.52 in
Package dimensions (W x D x H)	21 x 18.5 x 11.5 cm
Package weight	0.703 kg
Package weight	1.55 lb
Paired devices	Up to 2

Sensitivity (microphone)	-40 +/-3 dB
Signal-to-noise ratio	>53 dB
Speaker size	32 mm
Special features	Adjustable headband
Supported bluetooth profiles	AVRCP 1.6
UC compatibility	Standard
UNSPSC code	43191609
UPC number	(ABA) 197029593108; (AC3) 197029593115
Voice alerts	Volume maximum; Volume minimum; Mute on; Mute off; Muted; Connection status; Talk time; Battery low
Wearing style	Mono
Weight	0.25 lb
Weight	115 g
What's in the box	Charging stand; Wireless headset; USB charging cable; Travel case; USB Type-A DECT™ adapter; USB Type-A to USB Type-C® adapter
Wireless range	Up to 180 m in open area; Up to 55 m in typical office environment
Wireless range (imperial)	Up to 590 ft in open area; Up to 180 ft in typical office environment

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

Disclaimer — Copyright

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 30, 2023 5:15 PM UTC+0000